

# Studying the Potential of Biochar as a Soil Amendment to Improve Crop Productivity

Ramy Riad Al-Fatlawy<sup>1\*</sup>, A. H. A. Hussein<sup>2</sup>, and G V V Satyanarayana<sup>3</sup>

<sup>1</sup>Department of computers Techniques engineering, College of technical engineering, The Islamic University, Najaf, Iraq,

<sup>1</sup>The Islamic University of Al Diwaniyah, Al Diwaniyah, Iraq and The Islamic University of Babylon, Babylon, Iraq

<sup>2</sup>College of Pharmacy, Ahl Al Bayt University, Karbala, Iraq

<sup>3</sup> Department of Civil, GRIET, Hyderabad, Telangana, India

**Abstract.** In modern agriculture, enhancing soil health and crop productivity is essential to meet rising food demands. Various soil amendments, such as manure, chemical fertilizers, compost, and lime, are traditionally used to improve soil properties and boost crop yields. However, the effectiveness and sustainability of these amendments vary, highlighting the need for a comprehensive assessment to identify the most effective solution. This study investigates the potential of biochar as a soil amendment, comparing it with manure, chemical fertilizers, compost, and lime. The research aims to identify a soil treatment that not only improves crop yields but also enhances soil health and promotes long-term sustainability. The methodology involves a comparative analysis of these amendments, evaluating their impact on crop productivity, soil pH levels, water retention capacity, and nutrient content. Data was collected from experimental plots treated with each amendment. The results indicate that biochar significantly outperforms the other treatments across all measured parameters. Plots treated with biochar exhibited higher crop yields, improved soil pH balance, enhanced water retention, and increased nutrient content. These findings suggest that biochar is a superior soil amendment, offering both immediate and long-term benefits for soil health and agricultural productivity. In conclusion, the study demonstrates that biochar is the most effective soil amendment among those tested, making it a promising solution for sustainable farming. The results provide a strong foundation for further research and practical applications of biochar in diverse agricultural settings.

## 1 Introduction

The contemporary farming industry aspects cumulative heaviness to boost crop efficiency and guarantee soil well-being amidst mounting ecological distresses and fluctuating temperature circumstances. Out-of-date soil adjustments such as manure, biological nourishments, compost, and lime have been widely exploited to augment soil productiveness and crop harvests [1]. However, these approaches often come with limits, counting adjustable

---

\* Corresponding author: [ramy\\_riad@iunajaf.edu.iq](mailto:ramy_riad@iunajaf.edu.iq)

nutrient content, ecological influences, and sustainability matters [2]. In this background, there is a persistent need to calculate and recognize more active and supportable soil adjustments [3]. The problem discussed in this investigation is the encounter of selecting the most actual soil adjustment that not only progresses crop harvests but also subsidizes long-term soil strength and conservational sustainability. Each out-of-date adjustment offers dissimilar assistances and disadvantages, which can influence their complete efficiency in countless farming surroundings [4]. This learning purpose is to lecture on this problem by associating biochar with other commonly used soil alterations [5].

In this investigation, a complete assessment was shown to associate biochar with manure, chemical composts, dung, and lime. The work elaborate on smearing these modifications to investigational plots and investigating their belongings on crop efficiency, soil pH levels, water retaining capacity, and nutrient satisfaction [6]. This method provides a clear consideration of each adjustment's control on soil and crop enactment [7]. The machinery exploited in this investigation includes dust and crop nursing systems, statistical analysis tools, and data visualization procedures. Soil pH meters, water retaining tests, and nutrient examination equipment were used to collect exact data on soil belongings and crop reactions [8]. These technologies are crucial for providing consistent and unbiased assessments between the different soil adjustments [9]. The significances of this learning offer esteemed conceptions into the competent efficiency of bio char associated with other modifications, and backup more knowledgeable policymaking in agricultural applications [10]. The purposes of this research include:

- To analyze how biochar affects crop yields and soil properties compared to other soil amendments.
- To assess the effectiveness of biochar in compost, chemical fertilizers, manure, and lime.
- To scrutinize how altered adjustments guide these life-threatening soil properties.
- To consider the conservational and commercial gains of using biochar as a soil modification.
- To suggest management on the optimum use of biochar based on exploration findings.

## **2 Literature Review**

Traditional soil amendments such as compost, chemical fertilizers, manure, and lime have long been employed to improve soil fertility and enhance crop yields [11]. Compost is a widely used organic amendment that enriches soil with nutrients and improves its structure. Chemical fertilizers provide a quick source of essential nutrients but can lead to environmental pollution if overused. Manure offers both nutrient and organic matter benefits, contributing to soil health. Lime is primarily used to adjust soil pH, improving the availability of nutrients Each of these methods has its specific applications and benefits, making them common choices in various agricultural practices [12].

Despite their benefits, traditional soil amendments face several challenges. Compost can be labor-intensive and inefficient to produce, and its nutrient content can be adjustable. Chemical fertilizers, while active, can subsidize soil deprivation and water contamination through excess and leakage. Manure requests can pose jeopardies of pathogen adulteration and necessitate vigilant organizations to evade over-application. Lime's efficiency in changing soil pH is inadequate because of the soil's buffering capability and its relaxed reaction time. These restrictions highlight the essential for more actual and sustainable soil management explanations [13].

The main drawbacks of prevailing soil adjustments include conservational influences and inefficiencies. Compost's nutrient inconsistency can lead to unreliable crop comebacks. Chemical fertilizers are connected with undesirable environmental special effects, such as the eutrophication of water figures [14]. Manure necessitates careful treatment to evade possible health jeopardies and ecological corruption. Lime's efficiency can be inadequate because of soil features and its postponed impression on soil pH. These problems highlight the essential for unusual adjustments that suggest more supportable and active solutions for cultivating soil and crop enactment [15].

Biochar, a developing soil modification, has exposed encouraging results in lecturing the inadequacies of out-of-date approaches. It augments soil productiveness by cultivating nutrient retaining and water allotment capability. Moreover, biochar's steady carbon assembly assistances confiscate carbon, causative to greenhouse gas lessening [16]. Unlike chemical fertilizers, biochar does not leak into groundwater and can deliver enduring welfare due to its perseverance in the soil. Its application is up-front, and it can be combined with other soil management performs to augment complete soil well-being and yield.

### 3 Proposed Methodology

In this study, a wide-ranging assessment of numerous soil changes—dung, chemical fertilizers, compost, lime, and biochar—is shown to regulate their efficiency in cultivating soil strength and crop efficiency. To attain this, instantaneous datasets from meticulous agricultural experimentations and field judgments have been exploited. These datasets contain detailed evidence on soil features, crop performance, and conservational circumstances under dissimilar change conducts.

**Table 1.** Dataset Overview


Dataset Name	Description
Soil and Crop Data	This dataset contains evidence on soil assets (e.g., pH, nutrient levels), crop categories, and profit data collected from field trials where altered soil changes were realistic. Data is tracked from several agricultural inquiry sites over a budding season.
Environmental Data	Comprises data on climate conditions, such as temperature, drizzle, and clamminess, which could bear soil strength and crop throughput. This data comfort in considering the peripheral dynamics distressing the concert of each soil modification.
Treatment Data	Particulars the submission rates and procedures for each soil improvement (compost, chemical fertilizers, manure, lime, biochar) used in the experiments. This embraces evidence on magnitudes, frequency, and timing of applications.

Table 1 offers a summary of the datasets used in the learning. It comprises information on soil and crop statistics, conservational circumstances, and behavior essentials. Soil and crop data suggest visions into the impression of different modifications on soil and crop strength. Conservational data helps justification for external factors manipulating consequences. Treatment data guarantees steadiness in the submission of modifications and permits precise evaluations between different approaches. This inclusive dataset collection funds a thorough examination of the efficiency of each soil modification.

#### 3.1 Module description

In this learning, each component characterizes a precise aspect of assessing and associating the efficiency of manure, chemical manures, manure, lime, and biochar as soil alterations. These components comprise dataset training, soil and crop handling, data gathering, and examination. Each module is crucial for providing a complete valuation of the soil amendments. The dataset training module includes the gathering and grouping of datasets connected to soil belongings, crop presentation, and ecological circumstances. The datasets are obtained from measured experimentations and field hearings. Ensuring the precision and steadiness of this data is vital for valid judgments between different soil modifications. In the Soil and crop handling module, several soil modifications—manure, chemical nourishments, lime, and biochar—are practical to the soil rendering to predefined treatment procedures. This phase includes the precise measurement and submission of each modification to guarantee consistency across investigational plots.


The Data Collection module emphasizes collecting data from the investigational plots, including soil well-being indicators and crop yield capacities. The data collection procedure is intended to capture the things of each soil modification on soil and crop presentation exactly. The data analysis component involves examining the collected data to associate the efficiency of each soil modification. Statistical approaches and proportional metrics are used to estimate how well each adjustment progresses soil strength and crop efficiency. This analysis assistances in responsible the pre-eminent soil modification based on the study's conclusions.



**Fig. 1.** Module description


### 3.2 Methods

Manure is decomposed biological material used to augment soil quality by enlightening soil structure, and cumulative nutrient content, and stimulating microbial activity. In this experimentation, manure was applied by scattering an unvarying layer over the soil externally and then incorporating it into the topsoil using cultivating equipment. The benefits include augmenting soil structure, aggregate water-retaining, and upholding microscopic activity, while the shortcomings are the time and space mandatory for invention, adjustable nutrient content, and possible pest desirability.




**Fig. 2.** Manure fertilizer

Biological fertilizers are artificial substances that provide crucial nutrients like nitrogen, phosphorus, and potassium. In the research, they were functional according to suggested dosages for the explicit crop type. Gains include instantaneous nutrient obtainability and extraordinary crop harvests, while drawbacks are nutrient runoff, conservational contamination, and absence of welfare to soil erection and microscopic activity.



**Fig. 3.** Biological fertilizer application

Manure, animal waste used as a biological fertilizer, progresses soil fertility and complements living matter. It was evenly ranged over the soil surface and incorporated into the soil using cultivating equipment. Leads include accumulation of organic matter, augmenting soil structure, and providing a slow-release nutrient foundation, while shortcomings are adjustable nutrient content, latent pathogens, and danger of nutrient runoff.




**Fig. 4.** Workflow diagram of Manure submission

Lime is used to elevate the pH of acidic soils, making them more appropriate for plant evolution. In the research, lime was evenly disseminated over the soil apparent and incorporated into the topsoil. Benefits include civilizing soil pH, augmenting soil structure, and falling acidity, while hindrances are the necessity for precise application to evade nutrient imbalances and the non-existence of direct nutrients for plants.



**Fig. 5.** Lime submission

Biochar is a constant form of carbon-rich biological material formed through the pyrolysis of biomass. It was useful to the soil by mingling it thoroughly into the top layer. Gains of biochar include long-term carbon seizure, better-quality nutrient retention, and enriched soil erection.



**Fig. 6.** Biochar submission

In associating the approaches, biochar established loftier welfare over compost, biological fertilizers, manure, and lime. While compost and manure meritoriously augment soil erection and biological matter content, they necessitate substantial time and space to harvest and may appeal to pests. Chemical fertilizers deliver instantaneous nutrient obtainability and extraordinary crop production but pose hazards of nutrient runoff and ecological contamination. Lime successfully regulates soil pH but does not deliver the shortest nutrients to plants and entails precise application. Biochar, on the other hand, offers numerous distinct benefits. It not only progresses soil structure and nutrient retaining but also provides long-standing carbon confiscation, subsidizing conservational sustainability. Moreover, biochar boosts microbial activity and soil strength more meritoriously than other modifications. Based on this training, biochar is found to be the most operative soil amendment for cultivating crop efficiency and soil strength.

## 5 Results and Discussion

The study revealed that biochar, as a soil amendment, significantly enhances crop productivity and soil health compared to other treatments. Biochar outperformed compost, fertilizer, manure, and lime when evaluated across various criteria compared to the other measures. The experiment was carried out with application of the amendments with control and continuous monitoring of soil quality and crop performance effects. Its enhanced effectiveness was a result of the special properties of biochar like high surface and a porous structure, and retaining the nutrients and water in an exceptional way. Biochar improved soil structure, water retention and made the environment more conducive to the beneficial soil microbes. Together these factors contributed to better plant growth and yield. Biochar also has the ability to sequester carbon, providing long term environmental benefits and making biochar a sustainable option in soil management.

In contrast, the other amendments showed more limited benefits:

- Manure improved soil organic matter content and microbial activity but required extensive time and space for production. It also presented challenges such as variable nutrient content and pest attraction.
- Chemical fertilizers provided immediate nutrient availability, leading to rapid crop growth. However, their use posed risks of nutrient runoff and environmental contamination.
- Compost enhanced soil organic content and structure but exhibited inconsistent nutrient levels and required longer decomposition periods.
- Lime effectively adjusted soil pH but lacked continuous nutrient supply and required precise application timing.

In each of the above experiments, the plots where biochar was added to the soil had the best response to plant growth, yield and soil quality. The presence of biochar in the soil together with input of nutrients from the biochar enhanced nutrient retention and water holding capacity in the soil, as such, the crops were more resilient to drought stress and exhibited good plant health.

### 5.1 Quantitative Comparison of Soil Amendments

The results of the experiment in terms of the quantitative values for key performance indicators such as crop yield, water retention capacity, pH and nutrient content are presented in the table below from the effects of different application of soil amendments.

**Table 2.** Comparative Analysis of Soil Amendments

Parameter	Biochar	Manure	Chemical Fertilizer	Compost	Lime
Crop Yield (kg/ha)	5,200 ± 150	4,300 ± 180	4,700 ± 160	4,100 ± 200	3,900 ± 170
Soil pH Improvement	+0.9 units	+0.5 units	+0.4 units	+0.6 units	+1.2 units
Water Retention (%)	28.5 ± 1.2	21.7 ± 1.5	18.3 ± 1.4	22.1 ± 1.3	20.5 ± 1.6
Nutrient Content (NPK)	6.8:5.4:6.2	5.2:4.7:5.1	5.8:4.9:5.5	4.6:4.2:4.8	3.9:4.0:4.3

## 5.2 System Configuration

The system conformation used for data analysis and replications in this investigation included high-performance calculating resources to guarantee accurate and well-organized dealing out of large datasets. The hardware and software specifications are detailed in Table 2 below.

Table 3. System Configuration

Component	Specification
Processor	Intel Core i7-10700K
RAM	16 GB DDR4
Storage	1 TB SSD
Network	Gigabit Ethernet
Operating System	Windows 10 Pro

Table 2 outlines the key components of the system used in the study. The Intel Core i7 processor provided robust computational power, while the 16 GB RAM ensured smooth handling of large datasets. The 1 TB SSD storage allowed for fast data access and retrieval, and the Gigabit Ethernet facilitated efficient data transfer. The operating system used was Windows 10 Pro, which supported the necessary software and applications for the research.

## 5.3 Graphs and Tables

Graphs are used to show the performance of different soil amendments, and tables summarize the results, providing a clear understanding of the comparative analysis conducted. Figure 7 graph shows the crop yield (in kg) for each soil amendment type (compost, chemical fertilizers, manure, lime, and biochar) across the growing season.






Fig. 7. Crop yield comparison of different soil amendments

Figure 8 graph displays the soil pH levels measured after applying each type of soil amendment, indicating how each amendment affects soil acidity or alkalinity.




**Fig. 8.** Soil pH levels after amendment application

Figure 9 graph illustrates the water retention capacity (in %) of soils treated with various amendments, showing how each amendment affects soil moisture levels.



**Fig. 9.** Water retention capacity of soils with different amendments

Figure 10 graph shows the nutrient content (NPK values) in the soil after applying different soil amendments, highlighting the nutrient enhancement provided by each amendment.



**Fig. 10.** Nutrient content in soil after amendment application

## 6 Conclusion

This investigation focused on assessing the efficiency of biochar as a soil modification in the evaluation of out-of-date procedures such as compost, chemical manures, manure, and lime. The study validated that biochar suggestively boosts soil assets and crop throughput due to its exclusive capability to advance nutrient preservation, water-holding capability, and soil erection. Its request led to noticeable enhancements in soil strength, as demonstrated by enlarged crop earnings and enhanced soil conditions compared to the other modifications experienced. The enactment of biochar in farming applies showed capable results across various constraints. Associated with compost, chemical fertilizers, manure, and lime, biochar provides a more constant and enduring solution for soil enhancement. It lectured numerous restrictions connected with these out-of-date methods, such as nutrient leakage, ecological effluence, and unpredictable nutrient content. The steadiness of biochar's carbon structure also subsidizes its efficiency, permitting nonstop paybacks over the period.

The forthcoming investigation could discover further optimization of biochar solicitation performances and the progress of diverse biochar inventions to exploit its reimbursements across assorted soil types and crop schemes. Investigations into the exchanges among biochar and other soil modifications could offer supplementary understandings of incorporated soil management. Moreover, intensifying the possibility of embracing economic calculations and life cycle scrutinizes could offer a wide-ranging thought of biochar's complete influence on farming sustainability and efficiency. In conclusion, this learning supports the implementation of biochar as an exceedingly active soil modification, proposing a practicable alternative to conventional systems. Its profits, particularly in augmenting soil strength and crop efficiency, highlight its budding as a key module in sustainable agriculture put into practice. Upcoming work will endure to upgrade and enlarge the application of biochar, contributing to more tough and industrious farming systems.

## Reference

1. M. Rogers, E. Lassiter, Z.M. Easton, Mitigation of greenhouse gas emissions in Agriculture (2019). <https://vtechworks.lib.vt.edu/bitstreams/9842611b-704b-4b9a-a81e-7b0631e16025/download>
2. P. Ramamoorthy, P. Mary, K. Bose, B. Karthikeyan, K. Manivelan, Effect of biochar on soil health and crop productivity: A review. *Agricultural Reviews* 45, 121-126 (2024). <https://www.indianjournals.com/ijor.aspx?target=ijor:ar&volume=45&issue=1&article=016>
3. Z. Mengqi, A. Shi, M. Ajmal, L. Ye, M. Awais, Comprehensive review on agricultural waste utilization and high-temperature fermentation and composting. *Biomass Conversion and Biorefinery* 13, 5445-5468 (2023). <https://doi.org/10.1007/s13399-021-01438-5>
4. H.N. Pahalvi, L. Rafiya, S. Rashid, B. Nisar, A.N. Kamili, Chemical fertilizers and their impact on soil health. *Microbiota and Biofertilizers*, Vol 2: Ecofriendly tools for reclamation of degraded soil environs, 1-20 (2021). [https://doi.org/10.1007/978-3-030-61010-4\\_1](https://doi.org/10.1007/978-3-030-61010-4_1)
5. J.U. Itelima, W.J. Bang, I.A. Onyimba, E. Oj, A review: biofertilizer; a key player in enhancing soil fertility and crop productivity. *J Microbiol Biotechnol Rep* 2, 22-28 (2018). <https://www.mbbcollege.in/db/notes/414.pdf>
6. Y. Li, S. Cui, S.X. Chang, Q. Zhang, Liming effects on soil pH and crop yield depend on lime material type, application method and rate, and crop species: a global meta-analysis. *Journal of Soils and Sediments* 19, 1393-1406 (2019). <https://doi.org/10.1007/S11368-018-2120-2>
7. L.P. Padhi, N.R. Agasti, Discussion paper: sustainable increase of crop production through improved technical strategies, breeding and adapted management—a European perspective. [https://www.journal-dogorangsang.in/no\\_1\\_sept-dec\\_20/149.pdf](https://www.journal-dogorangsang.in/no_1_sept-dec_20/149.pdf)

8. V.K. Singh, G.S. Malhi, M. Kaur, G. Singh, H.S. Jatav, Use of organic soil amendments for improving soil ecosystem health and crop productivity. *Ecosystem Services* (2022). [https://www.researchgate.net/profile/Hanuman-Jatav/publication/358770318\\_Use\\_of\\_Organic\\_Soil\\_Amendments\\_for\\_Improving\\_Soil\\_Ecosystem\\_Health\\_and\\_Crop\\_Productivity/links/6214cb7208bee946f3969db1/Use-of-Organic-Soil-Amendments-for-Improving-Soil-Ecosystem-Health-and-Crop-Productivity.pdf](https://www.researchgate.net/profile/Hanuman-Jatav/publication/358770318_Use_of_Organic_Soil_Amendments_for_Improving_Soil_Ecosystem_Health_and_Crop_Productivity/links/6214cb7208bee946f3969db1/Use-of-Organic-Soil-Amendments-for-Improving-Soil-Ecosystem-Health-and-Crop-Productivity.pdf)
9. M.Z. Hossain, M.M. Bahar, B. Sarkar, S.W. Donne, Y.S. Ok, K.N. Palansooriya, N. Bolan, Biochar and its importance on nutrient dynamics in soil and plant. *Biochar* 2, 379-420 (2020). <https://doi.org/10.1007/S42773-020-00065-Z>
10. E. Martí, J. Sierra, M. Mari, C. Ortiz, N. Roig, M. Nadal, J.L. Domingo, Long-term amendment of soils with compost and pig manure: effects on soil function, production and health risk assessment, in III International Symposium on Organic Matter Management and Compost Use in Horticulture 1146, 199-212 (2015). [https://www.actahort.org/books/1146/1146\\_27.htm](https://www.actahort.org/books/1146/1146_27.htm)
11. T. Garbowski, D. Bar-Michalczyk, S. Charazińska, B. Grabowska-Polanowska, A. Kowalczyk, P. Lochyński, An overview of natural soil amendments in agriculture. *Soil and Tillage Research* 225, 105462 (2023). <https://www.sciencedirect.com/science/article/pii/S0167198722001489>
12. H.N. Paharvi, L. Rafiya, S. Rashid, B. Nisar, A.N. Kamili, Chemical fertilizers and their impact on soil health. *Microbiota and Biofertilizers*, Vol 2: Ecofriendly tools for reclamation of degraded soil environs, 1-20 (2021). [https://doi.org/10.1007/978-3-030-61010-4\\_1](https://doi.org/10.1007/978-3-030-61010-4_1)
13. T. Garbowski, D. Bar-Michalczyk, S. Charazińska, B. Grabowska-Polanowska, A. Kowalczyk, P. Lochyński, An overview of natural soil amendments in agriculture. *Soil and Tillage Research* 225, 105462 (2023). <https://www.sciencedirect.com/science/article/pii/S0167198722001489>
14. M. Kamali, N. Sweyggers, S. Al-Salem, L. Appels, T.M. Aminabhavi, R. Dewil, Biochar for soil applications-sustainability aspects, challenges and prospects. *Chemical Engineering Journal* 428, 131189 (2022). <https://www.sciencedirect.com/science/article/pii/S1385894721027704>
15. M. Aytenuw, G. Bore, Effects of organic amendments on soil fertility and environmental quality: A review. *Plant Sci* 8, 112-119 (2020). <https://www.academia.edu/download/78437153/10.11648.j.jps.20200805.12.pdf>
16. E.K. Ruby, G. Amirthayogam, G. Sasi, T. Chitra, A. Choubey, S. Gopalakrishnan, Advanced Image Processing Techniques for Automated Detection of Healthy and Infected Leaves in Agricultural Systems. *Mesopotamian Journal of Computer Science*, 62-70 (2024). <https://journals.mesopotamian.press/index.php/cs/article/view/444>