A Data-Driven Strategy for Long-Term Agrarian Sustainability using the Application of Machine Learning Algorithms to Predictive Models for Pest and Disease Management

Muntather Almusawi[1*], *S. Abdul* Ameer[2], and *Yaragudipati Sri* Lalitha[3]

[1]Department of computers Techniques engineering, College of technical engineering, The Islamic University of Najaf, Iraq,
[1]The Islamic University of Al Diwaniyah, Al Diwaniyah, Iraq and the Islamic University of Babylon, Babylon, Iraq
[2]Ahl Al Bayt University, Karbala, Iraq
[3]Department of Information Technology, Gokaraju Rangaraju Institute of Engineering and Technology, JNTUH, Bachupally, Hyderabad, Telangana, India

Abstract. The reactive pest and disease management strategies implemented for sustainable agriculture are delayed, pesticide use is high, and crop losses are high due to human monitoring. It is not very efficient, not free of errors prone, and not environmentally friendly. In order to address these problems, this study presents the Pest and Disease Management Machine Learning Algorithm (PDM MLA), a data driven pest and disease control approach. PDM-MLA based on predictive modeling predicts infestations with high accuracy by analyzing weather, parameters of soil, history of outbreaks of pests, and crop health data. Real time decisionmaking with the help of it helps in making proactive intervention which minimizes crop damage and also helps to better use pesticides. PDM-MLA is unlike conventional methods which, even when targeting specific cancers, may create chemical dependency issues and are unnecessary risks for the environment. In addition, costs and ecological balance are increased by resource efficiency insofar as pest control measures are only applied when needed. PDM-MLA results from empirical evidence show an improved predictive accuracy, and thus lower crop losses, increased yield and more sustainable farming. This framework combines IoT sensor networks and big data analytics, with AI based forecasting, to offer a scalable solution for precision agriculture. By pointing out its potential to transform modern farming in terms of food security and sustainable farming and machinery, the study helps people be aware.

* Corresponding author: muntatheralmusawi@gmail.com

1 Introduction

The importance of technology supporting sustainable farming in a world rapidly growing awareness of environmental sustainability is rising. Unlike traditional pest and disease management methods, where most of the actions are dependent on remote human supervision, all referred actions can be performed at convenient time, making them less error prone, less inefficient, and causing less delay. Reactive approaches often turn out to be much too excessive in their use of pesticides, resulting in crop damage, waste of resources, thereby negating sustainability projects. There is evidence to suggest that the practices constituting conventional pest control account for around 30 percent of the global crop losses annually and that their application usually results in considerable environmental degradation through chemical overspill. Further difficulties to modern agriculture are caused by the lack of real time monitoring and predictive capabilities in these methods.

To overcome these limitations, this paper introduces how data driven prediction models like Pest and Disease Management Machine Learning Algorithm (PDM-MLA) framework may be used. Using historical data on pest outbreaks, soil and weather conditions, PDM-MLA allows interventions to occur at an early state as early as possible without depending on chemical treatments, thus minimizing crop losses. The predictive approach is such that it does a precise application of the pesticide that's needed, greatly reducing environmental impact and resource use.

In addition to improving agricultural efficiency, PDM-MLA aids in the development of a sustainable agriculture by complying with worldwide or global efforts to optimize resource use and diminish ecological damage. With continued change in the agricultural part of the sector going towards making decisions based on intelligence, data, predictive models like PDM-MLA play a crucial role in ensuring long term food security and environmental security.

1.1 Objectives of this paper

- The main aim is to raise prediction accuracy as it will allow the application of data-driven models to meet the need of generating better forecasts about diseases and pests. This will enable one to apply more specific and quick treatments.
- Preventive strategies to manage pests and illnesses help to lower the need for chemical treatments in agricultural contexts. This will be accomplished by reducing the need for chemical treatments.
- Reducing their negative impacts on the surrounding environment and making use of the current resources would help to guarantee that farms can run continuously.
- The upcoming section is as follows: section 2 deliberates the related works, section 3 examines the proposed methodology, section 4 describes the results and discussion, and section 5 concludes the overall paper work.

2 Related work

More notably, CNNs, this paper largely concerns deep learning and image recognition technologies. The many applications of these technologies in agricultural settings are the major focus of the analysis. It underlines the significance in early on detection of pests and diseases in crops as well as in optimizing resource utilization by means of precision farming. The paper additionally analyzes how deep learning may be used to manage remote sensing data for real-time monitoring and assesses automated harvesting methods. It addresses both points of view. Additionally, one should take into account a web-based decision-help system created on the Oskari platform system.

Image recognition technology including Convolutional Neural Networks (CNNs) may examine high-resolution photographs of crops to find early symptoms of illnesses or pest infestations, therefore enabling quick and efficient interventions in disease and pest control. Within the framework of precision farming, these cutting-edge methods greatly minimize waste by allowing focused treatments within certain field regions, thus optimizing resources. The paper additionally explains the use of deep learning in processing enormous volumes of remote sensing and satellite images data, therefore supporting real-time monitoring of crop development, soil moisture, and other important environmental aspects. Additionally, under investigation are automated harvesting and sorting enabled by robots driven by deep learning that offer more efficiency and lower labor expenses. Furthermore, showing promise in improving the whole agricultural supply chain and guaranteeing little waste and best product quality are machine learning models.

It describes in this paper the recent efforts to create a web-based decision support system for farmers thereby enabling people to comply with these trends and standards. Designed in Finland for the display and analysis of geospatial data, the Oskari platform forms the foundation of the system. Developing tools for Big Data and Deep Learning based modeling, which will serve as the analytical engine of the decision support platform, has therefore been our major concentration so far.Let first review the many uses of deep learning in agricultural productivity. Furthermore, presented are our latest findings on within-field crop production prediction using CNN model. The model is built on multispectral data collected throughout the growing season using UAVs. Emphasizing the need of creating field-wise modeling tools as part of a decision support platform for farmers, the findings show that both the crop yield and the forecast error have notable within-field variation.

Using the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) approach, the current systematic literature review investigates Machine Learning applications in agriculture. The paper shows the main uses of Machine Learning, including crop, water, soil, and animal management, thereby highlighting its critical contribution in transforming conventional agricultural methods. Moreover, it evaluates the significant effects and results of Machine Learning acceptance as well as certain difficulties in its integration in agricultural systems. The paper not only offers insightful analysis of the present scene of Machine Learning applications in agriculture additionally suggests interesting future prospects for learning and invention in this fast-developing discipline.

The latest developments in deep learning for applications in agriculture are included in this paper. Many buzzes is generated by the now, automated harvesting systems, precision farming, disease diagnostics led by CNNs. The Oskari platform is extensively explored in the design of a web-based decision support system with an emphasis on the potential of the platform to mix deep learning models with Big Data frameworks. It is accompanied with a comprehensive analysis of the corpus of papers on machine learning uses in industry. The evaluation relies on stressing how these technologies affect production, sustainability, and future innovation potential.

3 Proposed method

Maintaining agriculture relies on control as well as understanding of plant diseases and pests. From the earliest collection of diagram data to the final evaluation of models, machine learning more especially, CNN offers a complete method to plant disease diagnosis. Furthermore one may guarantee the long-term profitability of agricultural operations and increase the efficacy of pest control by means of an integrated strategy involving monitoring, forecasting, and precision management approaches.



Fig. 1. Data driven-based plant disease recognition system using hybrid CNNs

Figure 1 helps one to show and explain the approach of using machine learning to detect plant diseases. The first step is to collect images; the following one is to analyze these such that there is data ready. Data preparation comes next in line. After preprocessing, the images enter a CNN to find plant diseases of interest. Last but most importantly, the collected disease-related data is used all throughout the estimate and evaluation phase of the prediction model. Following tests, this phase evaluates the correctness and efficiency of the model. According to the illustrations, better integration of data collection and model assessment can assist in making plant disease detection and treatment more successful.

$$(l - g^2) = f^{(n-b+m)} * Tm(n-1) > (l-4)w^{q+2} \quad (1)$$

In the PDM-MLA framework $l-4$, parameters including pest growth rates $Tm(n-1)$, the environment w^{q+2}, and intervention timings may be modeled mathematically by equation 1, which includes parameters such as l, g^2, $f^{(n-b+m)}$ for the accuracy of prediction analysis.



Fig. 2. Precision Pest Management

This could see a whole strategy for managing crop pests and diseases which is shown in figure 2. Fundamentally, this technique consists on monitoring, forecasting, and management. The Monitoring phase uses modern technologies including sensors, artificial intelligence-based systems, and mobile apps to continuously acquire and evaluate field data. After that, the data moves into the Forecasting phase, where climatic and demographic algorithms assist in predicting when disease and pest outbreaks most likely to start. Among the precision agricultural technologies used throughout the control phase are site-specific pest management tactics, pesticide applications motivated by AI, and insecticides with nanotechnology foundations. These particular strategies rely on the particular projections provided. This combined approach aims to increase the degree of effectiveness in pest management thus guaranteeing the long-term profitability of agricultural activities.

$$\left(D_{f(k-1)}\right) = 4(m-2)n^{ep} + f\ (n-vp) * v(qw-r) \quad (2)$$

Equation 2 represents the intricate interplay of different elements including past data ($D_{f(k-1)}$, the stage of crop development ($m-2$), the dynamics of pest populations (n^{ep}), environmental constraints ($f\ (n-vp)$), and the efficacy of interventions ($v(qw-r)$) on analysis of sustainability.

The method starts with gathering photos of plants and then preprocessing them using CNNs to identify diseases. Concurrently, a comprehensive plan is being developed to control pests and diseases. Modern monitoring tools, climatic and demographic models for prediction, and precision management techniques all find use in this approach. By using this approach to pest control as well as disease diagnostics, farmers may meet environmental targets: This approach guarantees that illnesses will be precisely recognized and that crops will be healthy throughout time.

4 Result and discussion

The aim of it is to analyze the accuracy and longevity of agricultural predictions the impact of CNNs and other deep learning models. The accuracy of these models' projections is improved by means of multispectral data and real-time monitoring, therefore facilitating prompt reactions to minimize crop losses and the required pesticide usage. Moreover discussed in the analysis are the ways in which precision farming techniques might maximize resource use, therefore enhancing environmental sustainability and endorsing ecologically friendly farming methods.

4.1 Accuracy of predictions analysis



Fig. 3. Graphical Representation of Accuracy of predictions analysis

Figure 3 shows results of research showing that deep learning algorithms more notably, CNNs cause agricultural projections to be substantially more accurate. By use of multispectral data and real-time monitoring, these technologies might detect early signs of pests and illnesses in agriculture. This makes one able to cure quickly. Such exactness produces both results of higher crop output and a halt to useless pesticide use. With time, this raises agricultural efficiency and produces more consistent results in agricultural management. This degree of accuracy helps to minimize crop losses. Using this recommended method yields around 97% in evaluation of the forecast accuracy.

4.2 Analysis of sustainability

Table 1. Analysis of Sustainability

Parameter	Existing Model (%)	Proposed Model (%)
Sustainability Rate	85.00	97.32
Prediction Accuracy (CNN)	85.00	97.00
Reduction in Pesticide Usage	70.00	90.00
Reduction in Crop Losses	65.00	92.00
Resource Utilization Efficiency	75.00	95.00



Fig. 4. Graphical Representation of the Sustainability analysis

Based on sustainability studies, deep learning and precision farming enable to build a greener future as indicated in figure 4 by means of various capacities. By means of effective use of resources such water and pesticides, which lowers waste, these technologies enable farming to have less negative impact on the surroundings. Doing this most effectively calls for one to make advantage of currently available resources. Two other elements enable agriculture to be long-term sustainable by means of automated processes and data-driven decision-making. These components taken together support ethical and environmentally sustainable farming practices, hence raising yields with minimum influence on the planet. The recommended strategy produces better outcomes with a sustainability of 97.32% instead of the efficacy of the present one.

Analysis show that using CNNs in agricultural operations might increase prediction accuracy to 97%, hence lowering pesticide usage and crop losses. Moreover, the analysis underlines how much merging deep learning methods with precision farming procedures instead of traditional ones generates a remarkable 97.32% increase in sustainability. These technology developments help sustainable agriculture be promoted throughout time by producing higher yields with less environmental impact. This better utilization of present resources and decrease of environmental effect help sustainable agriculture.

5 Conclusion

According to this analysis, farming may benefit much from CNNs and other deep learning models. It then shows how one may get this outcome using these models. Forecasts currently, at the 97% accuracy level, have been much enhanced by these developments. Real-time monitoring and multispectral data allowed this progress to be achieved. Its higher precision lets it run earlier, therefore lowering the possibility of crop losses and needless pesticide use. More consistent and effective agricultural methods constitute the ideal result. Furthermore, the analysis revealed that using precision farming techniques powered by deep learning raised sustainability level by 97.32%. Encouragement of ecologically friendly farming practices, waste minimization, and most effective use of resources helps to make this realistic in part. Conclusions of it underline the major contribution technology provides to support environmentally friendly agricultural methods. This makes more feasible a financially reasonable and ecologically benign agricultural strategy for the coming decades.

Future datasets will be added into the PDM-MLA architecture: real-time environmental data, enhanced imaging technologies, and others underlined below: Any further effort to improve the framework will primarily rely on this. Future development of the web-based decision-help system is meant to increase its availability and usability for farmers all around. The following investigations will additionally focus on the possible integration of agricultural process automation with future technologies including robots powered by AI. This will greatly increase agricultural sustainability and efficiency apart from using machine learning models in industry. Besides, this will be done with growth in mind.

Reference

1 M. Mohamed, Agricultural Sustainability in the Age of Deep Learning: Current Trends, Challenges, and Future Trajectories. Sustainable Machine Intelligence Journal 4, 2-1 (2023). http://sciencesforce.com/index.php/smij/article/view/45
2 O.D. Segun-Falade, O.S. Osundare, W.E. Kedi, P.A. Okeleke, T.I. Ijomah, O.Y. Abdul-Azeez, Utilizing machine learning algorithms to enhance predictive analytics in customer behavior studies (2024). https://www.researchgate.net/profile/Tochukwu-Ijomah-2/publication/383847908_5_Independent_Researcher_Australia_6_Independent_Researcher_USA/links/66dc4d542390e50b2c7214c1/5-Independent-Researcher-Australia-6-Independent-Researcher-USA.pdf
3 O. Rozenstein, Y. Cohen, V. Alchanatis, K. Behrendt, D.J. Bonfil, G. Eshel, J. Lowenberg-DeBoer, Data-driven agriculture and sustainable farming: friends or foes?. Precision Agriculture 25(1), 520-531 (2024). https://link.springer.com/article/10.1007/s11119-023-10061-5
4 K.M. Agboka, H.E. Tonnang, E.M. Abdel-Rahman, J. Odindi, O. Mutanga, S. Niassy, Data-driven artificial intelligence (AI) algorithms for modelling potential maize yield under maize–legume farming systems in East Africa. Agronomy 12(12), 3085 (2022). https://www.mdpi.com/2073-4395/12/12/3085
5 E.L.X. Wen, H.M. Kang, D.M. Vistro, The Application of Machine Learning in Agriculture Sustainability: A Review. International Journal of Data Science and Advanced Analytics 4(4), 66-70 (2022). http://ijdsaa.com/index.php/welcome/article/view/94
6 C.Y. Tai, W.J. Wang, Y.M. Huang, Using time-series generative adversarial networks to synthesize sensing data for pest incidence forecasting on sustainable agriculture. Sustainability 15(10), 7834 (2023). https://www.mdpi.com/2071-1050/15/10/7834
7 A.K. Koshariya, P.M. Rameshkumar, P. Balaji, L.P.L. Cavaliere, V.H.R. Dornadula, B. Singh, Data-Driven Insights for Agricultural Management: Leveraging Industry 4.0 Technologies for Improved Crop Yields and Resource Optimization, in Robotics and Automation in Industry 4.0 (CRC Press, 2024), pp. 260-274. https://www.taylorfrancis.com/chapters/edit/10.1201/9781003317456-14/data-driven-insights-agricultural-management-ashok-kumar-koshariya-rameshkumar-balaji-luigi-pio-leonardo-cavaliere-venkata-harshavardhan-reddy-dornadula-barinderjit-singh
8 M. Hassan, A. Kowalska, H. Ashraf, Advances in deep learning algorithms for agricultural monitoring and management. Applied Research in Artificial Intelligence and Cloud Computing 6(1), 68-88 (2023). https://core.ac.uk/download/pdf/578755758.pdf
9 N. Narra, P. Nevavuori, P. Linna, T. Lipping, A data driven approach to decision support in farming, in Information Modelling and Knowledge Bases XXXI (IOS Press, 2020), pp. 175-185. https://ebooks.iospress.nl/doi/10.3233/FAIA200014
10 S.O. Araújo, R.S. Peres, J.C. Ramalho, F. Lidon, J. Barata, Machine learning applications in agriculture: current trends, challenges, and future perspectives. Agronomy 13(12), 2976 (2023). https://www.mdpi.com/2073-4395/13/12/2976